

DECLASSIFIED

HW-7-1394

7-1394

DECLASSIFIED

RECORD CENTER FILE

PROJECT 9536

Route List

UNRECORDED COPY
DO NOT ROUTE OR
DESTROY

File

1. ~~1. Sullivan~~
2. ~~2. Sullivan~~
3. ~~3. Sullivan~~
4. ~~4. Sullivan~~
5. ~~5. Sullivan~~

CLASSIFICATION CANCELLED
DATE 7-25-58
For The Atomic Energy Commission

77 Cancel

Chief, Declassification Branch

Date 3-8-45

Subject Production Tests on Lanthanum Fluoride

Preparations No. 2247- 3-8

To File

From Y. G. Kay

Copy No.

11V.
D-47

BEFORE READING THIS DOCUMENT, SIGN AND DATE BELOW:

L. Squires
J. E. Willard

L. Squires	3/21/45
J. E. Willard	4/2-45
O. R. Miller	2/22/45
Hochstra	3/27/45
Shlaender	3/27/45
W. C. Johnson	3/29/45
J. H. Peterson	3/30/45
J. Thompson	4/2/45
H. K. Kornblum	4/3/45
J. B. Jones	4/3/45
J. L. Dreher	4/4/45
O. J. Hill	4/4/45
H. T. Zieper	4-4-45
Angerman	4/6/45
W. F. Schmelzer	4/7/45
E. H. Tuck	4/7/45
B. E. Farns	4/7/45

W. A. Sullivan	4/10/45
M. E. Jones	4/11/45
B. R. Caden	4/11/45
V. A. Jones	4/11/45
J. P. Kolman	4-12-45
J. P. Jones	4/18/45
J. P. Jones	4/19/45
H. J. Landner	4/20/45
G. E. Giermann	4/21

THIS DOCUMENT IS
PUBLICLY AVAILABLE

DECLASSIFIED

INVENTORIED

JUL 20 1951

DOCUMENT AUDIT AND
INVENTORY UNIT

BEST AVAILABLE COPY

DECLASSIFIED
PROJECT 94554

DECLASSIFIED



EST. 1802

E. I. DU PONT DE NEMOURS & COMPANY

INCORPORATED

P. O. Box 100

RICHLAND, WASHINGTON

EXPLOSIVES DEPARTMENT, TNX

#1 - Simon - Mackay - Otto - 705
#2 - M.H. Wahl - Wilmington
#3 - P.A. Crane
#4 - W.C. Kay - K.W. Millett
#5 - J.K. Dale - F.M. Vaughan
#6 - L. Squires - J.M. Willard
#7 - M.P. Ashton
#8 - K.M. Boston
#9 - Pink copy
#10 - Yellow copy

MARCH 8, 1945

INV.

9-67

PRODUCTION TESTS ON LANTHANUM FLUORIDE PRECIPITATIONS

NO. 2247-1-5

Objective

To decrease LaF_3 product precipitation losses (E-3-45 wastes).

Basic

The present standard procedure for the LaF_3 cycle in Bldg. 224 is as follows:

- (a) LaF_3 by-product - two 125 mg/liter preformed La strikes in 0.25 HF with centrifugations at approx. 17000 and 5 minutes retention time, followed by a 500 lb. 6% HNO_3 wash split into 2 centrifuge batches;
- (b) LaF_3 product - 35% reduction with 0.04M H_2O_2 and 0.0005M⁺⁺ (from KMnO_4 oxidation in Cell D), followed by two 50 mg/liter preformed La strikes in 0.5M HF with centrifugations at approx. 17000 and 5 minutes retention time, and a 500 lb. 6% HNO_3 wash split into 2 centrifuge batches.

The LaF_3 product precipitation wastes (E-3-45) from this process have almost consistently exceeded the standard loss of 1.5%, ranging up to 7% in several cases. Many wastes have had to be reworked by recentrifugation and the addition of extra La carrier. Several test modifications of the product strike procedure have been tried, such as:

- (a) The use of 1.0M HF
- (b) Elimination of the product case HNO_3 wash
- (c) 8 minutes centrifuge retention time (Clinton practice) instead of 5 minutes in the second centrifugation
- (d) slow second strike (40 minutes) instead of the usual 20 minute strike
- (e) A quiescent flocculation period of 2 hours in the second strike,
- (f) The use of steam condensate instead of sanitary water throughout the entire process. A summary of these process changes and their effects is given in Table I.

Since none of these changes has reduced product losses appreciably, a temporary expedient of making 3 strikes with the same total La (3.5 lbs.) is being used at present. While this procedure has been keeping product losses down to a lower level than anticipated for the standard process, losses are still excessive and the time cycle is naturally extremely long.

DECLASSIFIED

DECLASSIFIED

7-1394

PRODUCTION TESTS (cont'd)

-2-

H.M. Reaton

Extensive sampling and analysis throughout the LaF_3 cycle have made it appear that a small amount of LaF_3 fines leaking through the centrifuge is responsible for the product losses, rather than incomplete reduction or carrying of product. Additional evidence indicates that a leak-through of fines from the LaF_3 by-product centrifugation, most probably LaF_3 , picks up 25-75% of the product during reduction and before the first regular product strike. In an effort to reduce the LaF_3 fines production or carry-over, certain test procedures are being proposed for the March series of runs in Bldg. 224-T.

TABLE 1

SUMMARY OF LaF_3 PRODUCT PRECIPITATION PROCESS CONDITIONS AND WASTE LOSSES

Run No.	HF M	La Strikes			Cent. Rate lbs/min	Spec. Con- dit.	H-3% Loss %	Amount of H-3% Pre- & Loss	
		No. Strips	La M/L	Strike Time: M: A				extra La	1 M HF 25% extra $\text{H}_2\text{C}_2\text{O}_4$
T-4-12-B-5	0.5	2	50	20	110	None	3.3	None	-
" B-6	0.5	2	50	20	110	"	0.6	"	-
" B-6B	0.5	2	50	20	110	"	4.9	25% extra La	2.0
" B-6D	0.5	2	50	20	110	"	2.1	50% extra La	0.4
" B-7	1.0	2	50	20	110	"	1.5	Recent 1 M HF 25% extra $\text{H}_2\text{C}_2\text{O}_4$	0.4
T-5-1-B-1	1.0	2	50	20	110	No KNO_3 wash	3.7	"	2.2
" B-2	1.0	2	50	(1) 20 (2) 40	110	No KNO_3 wash	3.0	None	-
" K0	1.0	2	50	20	(1) 110 (2) 70	None	2.9	"	-
" B-3	1.0	2	50	20	(1) 110 70	"	4.9	Recent (70 lbs/min.)	2.2
T-4-12-B-6C	1.0	2	50	20	110	"	3.7	Recent	2.6
T-5-1-B-1	0.5	2	50	20	110	"	7.5	100% extra La	0.6
T-5-2-B-1	0.5	2	30	20	110	"	6.9	Recent	4.5
" B-2	0.5	3	33	13	110	"	0.4	None	-
" B-3	0.5	3	33	13	110	"	3.0	"	-
" B-4	0.5	3	33	13	110	Steam cond.	2.6	"	-
" B-5	0.5	3	33	13	110	Steam cond.	3.5	"	-
" B-6	0.5	3	33	13	110	Steam cond.	3.6	"	-
" B-7	0.5	3	33	13	110	Steam cond.	5.1	100% extra La	-

DECLASSIFIED

DECLASSIFIED

7-1394

PRODUCTION DATA (cont'd)

-3-

R.N. Euston

Procedure

It is proposed that the test procedures listed in Table II be carried out in the March series of runs in Bldg. 22-7. Summarized briefly the main variable changes and the objectives of each change are given below:

<u>Test No.</u>	<u>Run No.</u>	<u>Main Variable Change</u>	<u>Objectives</u>
1	T-5-3-B-2 T-5-3-B-1	Prod. La strike #1 = : before reduction	Flocculation of La ₂ before product pick-up.
2	T-5-3-B-2 T-5-3-B-3	Prod. La strikes #2 and #3 made before return of effluent to precipitator	Flocculation of fines from first centrifugation
3	T-5-3-B-4 T-5-3-B-5	Eliminate HNO ₃ wash in by- product <u>gr.</u> make 0.5N HF by-product	Decrease fines carry-over from by-product
4	T-5-3-B-4	All La ₂ centrifugations at 8 minutes retention time (70 lbs./min.)	Complete check of Clinton centrifugation conditions

It is also proposed that if any one pair of test runs produces low X-3-MS losses at least one more run shall be made with the same procedure to establish its reproducibility more definitely. Test No. 3 will be chosen from the two alternatives quoted as governed by whether or not Test Nos. 1 and 2 show that the HNO₃ wash of the by-product cake contributes La₂ fines to the D-3-MS.

DECLASSIFIED

PRECIPITATION TESTS (cont'd)

DECLASSIFIED

J. M. Pearson

TABLE II
 PROPOSED TEST SCHEDULE FOR LEAD PRECIPITATION

Cell 10										Cell 5									
Test No.	Spec. No.	HF L	No. La Sheets	La No./A	Cent. Rate lbs/ftm	HNO ₃ find	Special Analysis	HF L	La. Series				Spec. Lbs/ftm	Special Analysis					
									12	13	34	2							
1	T-5-3-8-1 T-5-3-8-1	0.2	2	125	110	Yes	Lab. red'n & cent. of 1-3-05 before & after HNO ₃ wash	0.5	2	Reg. Reg. 33		3	110	E-1-78 & E-3-85 samples for AT and end. cont. in Lab					
2	T-5-3-8-2 T-5-3-8-3	0.2	2	125	110	Yes	"	0.5	Reg. To E-1 head To E-1										

NOTE: It is also proposed that any beneficial effects in the early parts of the cycle as found from the beginning of the test series be carried along as cumulative process changes, although not shown in Table II.

COPY

DECLASSIFIED

DECLASSIFIED

7-13

PRODUCTION T-73 (cont'd)

-5-

R.H. Beaton

Data

The Technical Department Plant Assistance Group III will assist Operations in collecting data and monitoring process conditions. Assistance may be requested from the Process Research Section in carrying out laboratory centrifugations of process samples immediately when obtained.

Equipment

No additional equipment required.

Responsibility

Technical Department Plant Assistance:

M.F. Acken - Area Supervisor
R.H. Beaton - Senior Supervisor, Group III

Estimated Completion

These tests will cover the span of the March runs in Bldg. 224-F.

Approval

M.F. Acken
Operating Department

Date 3/10/45

L. Aguirre
Technical Department

Date 3/9/45

B.H. Mackay
Assistant Manager

Date 3/10

RECEIVED

MAR 20 1945

300 AREA
CLASSIFIED BY 38

BHR/ee

DECLASSIFIED